# SAFETY DATA SHEET

Issuing Date No data available Revision Date 08-Oct-2014 Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product Name Play-Doh

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Toy containing Chemical, without VOC

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Hasbro, Inc Supplier Address 1027 Newport Ave

Pawtucket Rhode Island 02862 US

**Supplier Phone Number** Phone:401-374-5791

Fax:401-721-7237

Contact Phone401-727-5228 louellette@hasbro.com

Supplier Email

Emergency telephone number

Company Emergency Phone

401-374-5791

Number

# 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### GHS Label elements, including precautionary statements

**Emergency Overview** 



The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Multiple Colors Physical State Solid Gel Consistency Odor Vanilla Solid

**Precautionary Statements - Prevention** 

Obtain special instructions before use

**Precautionary Statements - Response** 

None

**Precautionary Statements - Storage** 

None

**Precautionary Statements - Disposal** 

None

Hazards not otherwise classified (HNOC)

Not applicable

**Unknown Toxicity** 

52.75077% of the mixture consists of ingredient(s) of unknown toxicity

Other information

May cause slight eye irritation PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

**Interactions with Other Chemicals** 

No information available.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

.

Chemical Name	CAS No	Weight-%	Trade Secret
Zinc sulfide (ZnS), copper chloride-doped	68611-70-1	3 - 7	*
Calcium chloride	10043-52-4	3 - 7	*
Maize starch	9005-25-8	1 - 5	*
Mica	12001-26-2	1 - 5	*
White mineral oil (petroleum)	8042-47-5	1 - 5	*
Titanium dioxide	13463-67-7	1 - 5	*
Carbon black	1333-86-4	0.1 - 1	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

## 4. FIRST AID MEASURES

## First aid measures

**Eye Contact**Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.



**Skin Contact** Wash skin with soap and water. In the case of skin irritation or allergic reactions

see a physician.

**Inhalation** Remove to fresh air. If symptoms persist, call a physician.

**Ingestion** Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a

physician.

Most important symptoms and effects, both acute and delayed

**Most Important Symptoms and** No information available.

**Effects** 

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific Hazards Arising from the Chemical

No information available.

## **Hazardous Combustion Products**

Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# **6. ACCIDENTAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Avoid contact with eyes.

Other Information Refer to protective measures listed in Sections 7 and 8.

**Environmental Precautions** 

**Environmental Precautions** Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

eyes.

Conditions for safe storage, including any incompatibilities

**Storage** Keep container tightly closed.

**Incompatible Products**None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Zinc sulfide (ZnS), copper chloride-doped	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	-	IDLH: 100 mg/m3 Cu dust and
68611-70-1			mist
			TWA: 1 mg/m <sup>3</sup> Cu dust and mist
Maize starch	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m³ total dust	TWA: 10 mg/m <sup>3</sup> total dust
9005-25-8		TWA: 5 mg/m³ respirable fraction	TWA: 5 mg/m <sup>3</sup> respirable dust
		(vacated) TWA: 15 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction	
Mica	TWA: 3 mg/m <sup>3</sup>	TWA: 20 mppcf (<1% crystalline	IDLH: 1500 mg/m <sup>3</sup> containing
12001-26-2		silica)	<1% quartz
		3 mg/m³ (vacated)	TWA: 3 mg/m³ respirable dust
White mineral oil (petroleum)	TWA: 5 mg/m³ inhalable fraction	TWA: 5 mg/m <sup>3</sup>	IDLH: 2500 mg/m <sup>3</sup>
8042-47-5	excluding metal working fluids,	(vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
	highly & severely refined	_	STEL: 10 mg/m <sup>3</sup>



Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m³ total dust (vacated) TWA: 10 mg/m³ total dust	IDLH: 5000 mg/m³
Carbon black 1333-86-4	TWA: 3 mg/m³ inhalable fraction	TWA: 3.5 mg/m³ (vacated) TWA: 3.5 mg/m³	IDLH: 1750 mg/m³ TWA: 3.5 mg/m³ TWA: 0.1 mg/m³ Carbon black in presence of Polycyclic aromatic hydrocarbons PAH

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992) See section 15 for national exposure control parameters

## **Appropriate engineering controls**

Engineering Measures Showers

Eyewash stations Ventilation systems

## Individual protection measures, such as personal protective equipment

**Eye/Face Protection** No special protective equipment required.

**Skin and Body Protection**No special protective equipment required.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling

the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## **Physical and Chemical Properties**

Physical State Solid Gel Consistency Solid
Appearance Multiple Colors Odor Vanilla

Color No information available Odor Threshold No information available

**Property** Remarks/ Method <u>Values</u> None known pН No data available Melting / freezing point None known Boiling point / boiling range No data available None known **Flash Point** No data available None known No data available **Evaporation Rate** None known Flammability (solid, gas) No data available None known Flammability Limit in Air **Upper flammability limit** No data available Lower flammability limit No data available Vapor pressure No data available None known Vapor density No data available None known **Specific Gravity** No data available None known Soluble in water Water Solubility None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known No data available **Autoignition temperature** None known



Decomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone knownExplosive propertiesNo data available

Oxidizing Properties No data available

Other Information

Softening Point
VOC Content (%)
Particle Size
No data available
No data available
No data available

**Particle Size Distribution** 

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

## **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### Conditions to avoid

None known based on information supplied.

#### **Incompatible materials**

None known based on information supplied.

#### **Hazardous Decomposition Products**

Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information.

٠

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye Contact** Specific test data for the substance or mixture is not available.

**Skin Contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available.

## **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium chloride	= 1000 mg/kg (Rat)	= 2630 mg/kg (Rat)	-
10043-52-4			



White mineral oil (petroleum) 8042-47-5	> 5000 mg/kg (Rat)	-	-
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
Carbon black 1333-86-4	> 15400 mg/kg (Rat)	> 3 g/kg(Rabbit)	-

## Information on toxicological effects

**Symptoms** No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7		Group 2B		X
Carbon black 1333-86-4	A3	Group 2B		Х

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

Chronic Toxicity No known effect based on information supplied. Titanium dioxide has been classified by the

International Agency for Research on Cancer (IARC) as possibly carcinogenic to humans (Group 2B) by inhalation. This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product. Carbon black has been classified by the International Agency for Research on Cancer (IARC) as possibly carcinogenic to humans (Group 2B) by inhalation. This product contains carbon black in a non-respirable form. Inhalation of carbon black is unlikely to occur from exposure

to this product.

Target Organ Effects Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Kidney. Liver. Lungs.

**Aspiration Hazard** No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 6,217.00 mg/kg ATEmix (dermal) 21,801.00 mg/kg (ATE)



# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Calcium chloride 10043-52-4		96h LC50: = 10650 mg/L (Lepomis macrochirus)		48h LC50: = 2400 mg/L
White mineral oil (petroleum) 8042-47-5		96h LC50: > 10000 mg/L (Lepomis macrochirus)		
Carbon black 1333-86-4				24h EC50: > 5600 mg/L

## Persistence and Degradability

No information available.

#### **Bioaccumulation**

Chemical Name	Log Pow
White mineral oil (petroleum)	>6
8042-47-5	

#### Other adverse effects

No information available.

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated Packaging** Dispose of contents/containers in accordance with local regulations.

## California Hazardous Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Zinc sulfide (ZnS), copper chloride-doped	Toxic
68611-70-1	

## 14. TRANSPORT INFORMATION

DOTNOT REGULATEDProper Shipping NameNON-REGULATED

Hazard Class N/A

TDG Not regulated



MEX Not regulated

ICAO Not regulated

IATA Not regulated NON-REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated

ADR Not regulated

ADN Not regulated

## 15. REGULATORY INFORMATION

#### **International Inventories**

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Zinc sulfide (ZnS), copper chloride-doped - 68611-70-1	68611-70-1	3 - 7	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc sulfide (ZnS), copper		X		
chloride-doped				
68611-70-1				

## CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**



## **California Proposition 65**

This product contains the following Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Zinc sulfide (ZnS), copper chloride-doped 68611-70-1			Х	X	
Mica 12001-26-2	Х	Х	Х		
Phthalocyanine green 1328-53-6			Х	X	
Xanthylium, 3,6-bis(diethylamino)-9-[2-(methoxycarbonyl)phenyl]-, (T-4)-tetrachlorozincate(2-) (2:1) 73398-89-7			Х	Х	
C.I. Basic red 1 989-38-8	Х	Х	Х	Х	

## International Regulations

#### Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Mica		Mexico: TWA= 3 mg/m <sup>3</sup>
12001-26-2 ( 1 - 5 )		
White mineral oil (petroleum)		Mexico: TWA 5 mg/m <sup>3</sup>
8042-47-5 ( 1 - 5 )		Mexico: STEL 10 mg/m <sup>3</sup>
Titanium dioxide		Mexico: TWA= 10 mg/m <sup>3</sup>
13463-67-7 ( 1 - 5 )		Mexico: STEL= 20 mg/m <sup>3</sup>
Carbon black		Mexico: TWA 3.5 mg/m <sup>3</sup>
1333-86-4 ( 0.1 - 1 )		Mexico: STEL 7 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

## Canada

## **WHMIS Hazard Class**

Non-controlled

# 16. OTHER INFORMATION

NFPA Health Hazards 1 Flammability 0 Instability 0 Physical and Chemical Hazards - HMIS Health Hazards 1 Flammability 0 Physical Hazard 0 Personal Protection

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Revision Date 08-Oct-2014

Revision Note No information available

\_\_\_\_\_

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

(U)

Page 11/11